

Categories:

- Tumour / Cancer
- Cerebral / Stroke / MCAO
- Vital Organs / Shock
- Plastic Surgery / Wound Healing
- Physiology / Ischemia
- Ophthalmology
- In Vitro Applications
- Methodology / Validation

Tumour / Cancer

- Sun H, Ong YH, Zhu TC (2022). Reactive oxygen species explicit dosimetry (ROSED) for fractionated photofrin-mediated photodynamic therapy (PDT). *Proc SPIE Int Soc Opt Eng. Jan-Feb; 11940:1194007*. <https://doi.org/10.1117/12.2609969>. Epub 2022 Mar 4. PMID: 35529670; PMCID: PMC9075689.
- Sedlack AJH, Penjweini R, Link KA, Brown A, Kim J, Park S-J, Chung JH, Morgan NY, Knutson JR (2022). Computational Modeling and Imaging of the Intracellular Oxygen Gradient. *Int. J. Mol. Sci.* 2022, 23, 12597. <https://doi.org/10.3390/ijms232012597>
- Maitz CA, Tate D, Bechtel S, Lunceford J, Henry C, Flesner B, Collins A, Varterasian M, Tung D, Zhang L, Saha S, Bryan JN (2022). Paired 18F-Fluorodeoxyglucose (18F-FDG), and 64Cu-Copper(II)-diacetyl-bis(N(4)-methylthiosemicarbazone) (64Cu-ATSM) PET Scans in Dogs with Spontaneous Tumors and Evaluation for Hypoxia-Directed Therapy. *Radiat Res.* 2022 Mar 1;197(3):253-260. <https://doi.org/10.1667/rade-20-00186.1> PMID: 34855934.
- Karsch L, Pawelke J, Brand M, Hans S, Hیدهgthy K, Jansen J, Lessmann E, Löck S, Schürer M, Schurig R, Seco J, Szabó ER, Beyreuther E (2022). Beam pulse structure and dose rate as determinants for the flash effect observed in zebrafish embryo. *Radiother Oncol.* 2022 Aug; 173:49-54. <https://doi.org/10.1016/j.radonc.2022.05.025>. Epub 2022 May 31. PMID: 35661675.
- Claus A, Sweeney A, Sankepalle DM, Li B, Wong D, Xaviersevan M, Mallidi S (2022). 3D Ultrasound-Guided Photoacoustic Imaging to Monitor the Effects of Suboptimal Tyrosine Kinase Inhibitor Therapy in Pancreatic Tumors. *Front Oncol.* 2022 Jul 7; 12:915319. <https://doi.org/10.3389/fonc.2022.915319>. PMID: 35875138; PMCID: PMC9300843.
- Karam M, Ives A, Auclair C. (2022). Is Sphingosine-1-Phosphate a Regulator of Tumor Vascular Functionality? *Cancers (Basel).* 2022 Mar 3;14(5):1302. <https://doi.org/10.3390/cancers14051302>. PMID: 35267610; PMCID: PMC8909747.
- Xaviersevan M, Cook J, Duong J, Diaz N, Homan K, and Mallidi S (2021). Photoacoustic Nanodroplets for Oxygen Enhanced Photodynamic Therapy of Cancer. *Photoacoustics*. <https://www.sciencedirect.com/science/article/pii/S2213597921000665>
- Owen J, Logan K, Nesbitt H, Able S, Vasilyeva A, Bluemke E, ... Stride E (2021). Orally administered oxygen nanobubbles enhance tumor response to sonodynamic therapy. *Nano Select.* doi:10.1002/nano.202100038
- Liu X, Dong X, Yang S, Lai X, Liu H, Gao Y, ... Fang C (2021). Biomimetic Liposomal Nanoplatinum for Targeted Cancer Chemophototherapy. *Advanced Science* 8(8), 2003679. doi:10.1002/adv.202003679
- Bader SB, Ma TS, Simpson CJ, Liang J, Maezono SEB, Olcina MM, Buffa FM, and Hammond EM (2021). Replication catastrophe induced by cyclic hypoxia leads to increased APOBEC3B activity. *Nucleic Acids Res* 49(13), 7492-7506
- Lu N, Zhang M, Lu L, Liu YZ, Liu XD, Zhang HH (2021). Insulin-Induced Gene 2 Expression Is Associated with Breast Cancer Metastasis. *Am J Pathol* 191(2), 385-395
- Sheng T, Ong YH, Guo W and Zhu T (2020). Reactive oxygen species explicit dosimetry to predict tumor growth for benzoporphyrin derivative-mediated vascular photodynamic therapy. *J Biomed Opt* 25(6), 1-13. doi: 10.1117/1.JBO.25.6.063805
- Ong YH, Sheng T, Busch TM, and Zhu TC (2020). Reactive oxygen species explicit dosimetry for the evaluations of treatment efficiency of single and fractionated ALA-mediated photodynamic therapy. *Proc. SPIE 11220, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXIX, 112200R (25 February 2020); doi: 10.1117/12.2546425*
- Rickard AG, Yoshikawa H, Palmer GM, Liu HQ, Dewhirst MW, Nolan MW, et al (2020). Cherenkov emissions for studying tumor changes during radiation therapy: An exploratory study in domesticated dogs with naturally occurring cancer. *PLoS ONE* 15(8): e0238106. <https://doi.org/10.1371/journal.pone.0238106>
- Penjweini R, Roarke B, Alsbaugh G, Gevorgyan A, Andreoni, Pasut A, Sackett DL and Knutson JR (2020). Single cell-based fluorescence lifetime imaging of intracellular oxygenation and metabolism. *Redox Biol.* 2020 Jul; 34:101549.
- Penjweini R, Kim MM, Ong YH and Zhu TC (2020). 1 O 2 determined from the measured PDT dose and 3 O 2 predicts long-term response to Photofrin-mediated PDT. *Phys Med Biol.* 24;65(3), 03L0T1
- Angel CZ, Lynch SM, Nesbitt H, McKenna MM, Walsh CP and McKenna DJ (2020). miR-210 is induced by hypoxia and regulates neural cell adhesion molecule in prostate cells. *J Cell Physiol* 235(9), 6194-6203
- Ong YH, Dimofte A, Kim MM, Finlay JC, Sheng T, Singhal S, Cengel KA, Yodh AG, Busch TM and Zhu TC (2019). Reactive Oxygen Species Explicit Dosimetry for Photofrin-mediated Pleural Photodynamic Therapy. *Photochem Photobiol* 96(2), 340-348
- Sheng T, Ong YH, Guo W and Zhu T (2020). Reactive oxygen species explicit dosimetry to predict tumor growth for benzoporphyrin derivative-mediated vascular photodynamic therapy. *J Biomed Opt.* 25(6), 1-13
- Sheng T, Ong YH, Busch TM and Zhu TC (2019). Reactive oxygen species explicit dosimetry to predict local tumor control for Photofrin-mediated photodynamic therapy. *Proc SPIE Int Soc Opt Eng.* 10860
- Sheng T, Ong YH, Busch TM and Zhu TC (2019). Reactive oxygen species explicit dosimetry to predict tumor growth for BPD-mediated vascular photodynamic therapy. *Proc SPIE Int Soc Opt Eng.* 10861
- Ho YJ, Chu SW, Liao EC, Fan CH, Chan HL, Wei KC and Yeh CK (2019). Normalization of Tumor Vasculature by Oxygen Microbubbles with Ultrasound. *Theranostics* 9(24), 7370-7383 Bodo S et al. (2019). Single-dose radiotherapy disables tumor cell homologous recombination via ischemia/reperfusion injury. *J Clin Invest.* 129(2), 786-801
- Ong YH, Kim MM, Huang Z and Zhu TC (2018). Reactive Oxygen Species Explicit Dosimetry (ROSED) of a Type 1 Photosensitizer. *Proc SPIE Int Soc Opt Eng.* 2018 Feb;10476. pii: 104760V. doi: 10.1117/12.2291385.
- Luan X, Guan YL, Liu HJ, Lu Q, Zhao M, Sun D, Lovell JF, Sun P, Chen HZ and Fang C (2018). A Tumor Vascular-Targeted Interlocking Trimodal Nanosystem That Induces and Exploits Hypoxia. *Adv Sci (Weinh)* 5(8):1800034
- Luo Z, Tian H, Liu L, Chen Z, Liang R, Chen Z, Wu Z, Ma A, Zheng M and Cai L (2018). Tumor-targeted hybrid protein oxygen carrier to simultaneously enhance hypoxia-dampened chemotherapy and photodynamic therapy at a single dose. *Theranostics* 8(13), 3584-3596
- Eisenbrey JR, Shraim R, Liu JB, Li J, Stanczak M, Oeffinger B, Leeper DB, Keith SW, Jablonowski LJ, Forsberg F, O'Kane P and Wheatley MA (2018). Sensitization of Hypoxic Tumors to Radiation Therapy Using Ultrasound-Sensitive Oxygen Microbubbles. *Int J Radiat Oncol Biol Phys* 101(1), 88-96]
- Bhandari P, Novikova G, Goergen CJ and Irudayaraj J (2018). Ultrasound beam steering of oxygen nanobubbles for enhanced bladder cancer therapy. *Sci Rep* 8(1):3112
- Wang Y, Stewart E, Desjardins L, Hadway J, Morrison L, Crukley C and Lee TY (2017). Assessment of intratumor hypoxia by integrated 18F-FDG PET / perfusion CT in a liver tumor model. *PLoS One* 12(3):e0173016
- Bhandari PN, Cui Y, Elzey BD, Goergen CJ, Long CM, Irudayaraj J (2017). Oxygen nanobubbles revert hypoxia by methylation programming. *Sci Rep* 7(1):9268
- Nesbitt H, Worthington J, Errington RJ, Patterson LH, Smith PJ, McKeown SR and McKenna DJ (2017). The unidirectional hypoxia-activated prodrug OCT1002 inhibits growth and vascular development in castrate-resistant prostate tumors. *Prostate* 77(15), 1539-1547
- Koonce NA, Griffin RJ and Dings RPM (2017). Galectin-1 Inhibitor OTX008 Induces Tumor Vessel Normalization and Tumor Growth Inhibition in Human Head and Neck Squamous Cell Carcinoma Models. *Int J Mol Sci* 18(12). pii: E2671
- Fan Q, Tang CY, Gu D, Zhu J, Li G, Wu Y and Tao X (2017). Investigation of hypoxia conditions using oxygen-enhanced magnetic resonance imaging measurements in glioma models. *Oncotarget* 8(19), 31864-31875
- Sheng Y, Nesbitt H, Callan B, Taylor MA, Love M, McHale AP and Callan JF (2017). Oxygen generating nanoparticles for improved photodynamic therapy of hypoxic tumours. *J Control Release.* 264, 333-340
- Tomaszewski MR, Gonzalez IQ, O'Connor JP, Abeyakoon O, Parker GJ, Williams KJ, Gilbert FJ and Bohndiek SE (2017). Oxygen Enhanced Photoacoustic Tomography (OE-OT) Reveals Vascular Dynamics in Murine Models of Prostate Cancer. *Theranostics* 7(11), 2900-2913
- Xiong XX, Qiu XY, Hu DX and Chen XQ (2017). Advances in Hypoxia-Mediated Mechanisms in Hepatocellular Carcinoma. *Mol Pharmacol* 92(3), 246-255 Ong YH, Kim MM, Rodriguez CE, Dimofte A, Finlay JC, Busch TM, Yodh AG, Cengel KA, Singhal S and Zhu TC (2017). Monitoring and assessment of tumor hemodynamics during pleural PDT. *Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 100470C (February 16, 2017); doi:10.1117/12.2252979*
- Penjweini R, Kim MM, Ong YH and Zhu TC (2017). Singlet oxygen explicit dosimetry to predict long-term local tumor control for BPD-mediated photodynamic therapy. *Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 100470X (February 13, 2017); doi:10.1117/12.2250435*
- Kim MM, Penjweini R, Ong YH, Finlay JC and Zhu TC (2017). Oxygen measurements to improve singlet oxygen dosimetry. *Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 100470A (February 13, 2017); doi:10.1117/12.2250432*
- Penjweini R, Kim MM, Ong YH and Zhu TC (2017). Singlet oxygen explicit dosimetry to predict local tumor control for HPPH-mediated photodynamic therapy. *Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 1004710 (February 8, 2017); doi:10.1117/12.2251011*
- Burmakin M, van Wieringen T, Olsson PO, Stuhr L, Åhngren A, Heldin CH, Reed RK, Rubin K and Hellberg C (2017). Imatinib increases oxygen delivery in extracellular matrix-rich but not in matrix-poor experimental carcinoma. *J Transl Med* 15(1), 47
- Li F, Jørgensen JT, Forman J, Hansen AE and Kjaer A (2016). 64Cu-ATSM Reflects pO2 Levels in Human Head and Neck Cancer Xenografts but Not in Colorectal Cancer Xenografts: Comparison with 64CuCl2. *J Nucl Med* 57(3), 437-43
- Melsens E, Verberckmoes B, Rosseel N, Vanhove C, Descamps B, Pattyn P and Ceelen W (2016). The VEGFR Inhibitor Cediranib Improves the Efficacy of Fractionated Radiotherapy in a Colorectal Cancer Xenograft Model. *Eur Surg Res* 58(3-4), 95-108
- Penjweini R, Kim MM, Finlay JC and Zhu TC (2016). Investigating the impact of oxygen concentration and blood flow variation on photodynamic therapy. *Proc SPIE Int Soc Opt Eng.* 2016 Feb 13;9694. pii: 96940L
- O'Connor JBP, Boulf JKR, Jamin Y, Babur M, Finegan KG, Williams KJ, Little RA, Jackson A, Parker GJM, 2 Reynolds AR, Waterton JC and Robinson SP (2016). Oxygen-enhanced MRI accurately identifies, quantifies, and maps tumor hypoxia in preclinical cancer models. *Cancer Res* 76(4), 787-795
- Lin WH, Yeh SH, Yeh KH, Chen KW, Cheng YW, Su TH, Jao P, Ni LC, Chen PJ and Chen DS (2016). Hypoxia-activated cytotoxic agent tirapazamine enhances hepatic artery ligation-induced killing of liver tumor in HBx transgenic mice. *Proc Natl Acad Sci USA* 113(42), 11937-11942
- Laurens E, Yeoh SD, Rigopoulos A, O'Keefe GJ, Tochon-Danguy HJ, Chong LW, White JM, Scott AM, Ackermann U (2016). Fluorine-18 radiolabeling of a nitrophenyl sulfoxide and its evaluation in an SK-RC-52 model of tumor hypoxia. *J Labelled Comp Radiopharm* 59(10), 416-23
- Li F, Jørgensen JT, Forman J, Hansen AE and Kjaer A (2016). 64Cu-ATSM Reflects pO2 Levels in Human Head and Neck Cancer Xenografts but Not in Colorectal Cancer Xenografts: Comparison with 64CuCl2. *J Nucl Med* 57(3), 437-43
- Nesbitt H, Browne G, O'Donovan KM, Byrne NM, Worthington J, McKeown SR and McKenna DJ (2016). Nitric Oxide Up-Regulates RUNX2 in LNCaP Prostate Tumours: Implications for Tumour Growth In Vitro and In Vivo. *J Cell Physiol.* 231(2), 473-82
- Byrne NM, Nesbitt H, Ming L, McKeown SR, Worthington J and McKenna DJ (2016). Androgen deprivation in LNCaP prostate tumour xenografts induces vascular changes and hypoxic stress, resulting in promotion of epithelial-to-mesenchymal transition. *Br J Cancer* 114(6) 659-68
- Epel B, Redler G, Tormyshev V and Halpern HJ (2016). Towards Human Oxygen Images with Electron Paramagnetic Resonance Imaging. *Adv Exp Med Biol* 876, 363-9
- Nesbitt H, Browne G, O'Donovan KM, Byrne NM, Worthington J, McKeown SR and McKenna DJ (2016). Nitric Oxide Up-Regulates RUNX2 in LNCaP Prostate Tumours: Implications for Tumour Growth In Vitro and In Vivo. *J Cell Physiol* 231(2), 473-82
- Frank J, Gündel Z, Drescher S, Thews O and Mäder K (2015). Injectable LiNC-BuO loaded microspheres as in vivo EPR oxygen sensors after co-implantation with tumor cells. *Free Radic Biol Med* 89, 741-9
- Corroyer-Dulmont A, Chakhoyan A, Collet S, Durand L, MacKenzie ET, Petit E, Bernaudin M, Touzani O and Valable S (2015). Imaging Modalities to Assess Oxygen Status in Glioblastoma. *Front Med (Lausanne).* Aug 19;2:57. doi: 10.3389/fmed.2015.00057
- Gremonprez F, Descamps B, Izmer A, Vanhove C, Vanhaecke F, De Wever O and Ceelen W (2015). Pretreatment with VEGF(R)-inhibitors reduces interstitial fluid pressure, increases intraperitoneal chemotherapy drug penetration, and impedes tumor growth in a mouse colorectal carcinoma model. *Oncotarget* 6(30), 29889-900
- Hueting R, Kersemans V, Tredwell M, Cornelissen B, Christlieb M, Gee AD, Passchier J, Smart SC, Gouverneur V, Muschel RJ and Dilworth JR (2015). A dual radiolabelling approach for tracking metal complexes: investigating the speciation of copper bis(thiosemicarbazones) in vitro and in vivo. *Metallomics* 7(5), 795-804
- Cerniglia GJ, Dey S, Gallagher-Colombo SM, Daurio NA, Tuttle S, Busch TM, Lin A, Sun R, Esipova TV, Vinogradov SA, Denko N, Koumenis C and Maity A (2015). The PI3K/Akt Pathway Regulates Oxygen Metabolism via Pyruvate Dehydrogenase (PDH)-E1α Phosphorylation. *Mol Cancer Ther* 14(8), 1928-38

- Johnson JL, Leos RA, Baker AF and Unger EC (2015). Radiosensitization of Hs-766T Pancreatic Tumor Xenografts in Mice Dosed with Dodecafluoropentane Nano-Emulsion-Preliminary Findings. *J Biomed Nanotechnol* 11(2), 274-81
- Bluff JE, Reynolds S, Metcalf S, Alizadeh T, Kazan SM, Bucur A, Wholey EG, Bibby BA, Williams L, Paley MN and Tozer GM (2015). Measurement of the acute metabolic response to hypoxia in rat tumours in vivo using magnetic resonance spectroscopy and hyperpolarised pyruvate. *Radiother Oncol* 116(3), 392-9
- Levy EB, Johnson CG, Jacobs G, Woods DL, Sharma KV, Bacher JD, Lewis AL, Dreher MR and Wood BJ (2015). Direct Quantification and Comparison of Intratumoral Hypoxia following Transcatheter Arterial Embolization of VX2 Liver Tumors with Different Diameter Microspheres. *J Vasc Interv Radiol* 26(10), 1567-73
- Reyal J, Lebas N, Zlatanova I, Vilar J and Silvestre J-B (2015). Post-occlusive Reactive Hyperemia in Mouse Melanoma. *J Cancer Res Ther Oncol* 1, 1-6
- Neshatian MN; Chung S; Yohan D; Yang C and Chithrani DB (2015). Uptake of Gold Nanoparticles in Breathless (Hypoxic) Cancer Cells. *J Biomed Nanotechnology* 11(7), 1162-1172
- Fleming IN, Manavaki R, Blower PJ, West C, Williams KJ, Harris AL, Domarkas J, Lord S, Baldry C and Gilbert FJ (2014). Imaging tumour hypoxia with positron emission tomography. *Br J Cancer* 112(2), 238-50
- Rich U and Seshadri M (2014). Photoacoustic Imaging of Vascular Hemodynamics: Validation with Blood Oxygenation Level-Dependent MR Imaging. *Radiology* 275(1), 110-8]
- Collet G, Lamerant-Fayel N, Tertilt M, El Hafny-Rahbi B, Stepniewski J, Guichard A, Foucault-Collet A, Klimkiewicz K, Petoud S, Matejuk A, Grillon C, Jozkowicz A, Dulak J and Kieda C (2014). Hypoxia-regulated overexpression of soluble VEGFR2 controls angiogenesis and inhibits tumor growth. *Mol Cancer Ther* 13(1), 165-78
- Laurens E, Yeoh SD, Rigopoulos A, Cao D, Cartwright GA, O'Keefe GJ, Tochon-Danguy HJ, White JM, Scott AM and Ackermann U (2014). Radiolabelling and evaluation of a novel sulfoxide as a PET imaging agent for tumor hypoxia. *Nucl Med Biol* 41(5), 419-25
- Raykov Z, Grekova SP, Bour G, Lehn JM, Giese NA, Nicolau C and Aprahamian M (2014). Myo-inositol trispyrophosphate-mediated hypoxia reversion controls pancreatic cancer in rodents and enhances gemcitabine efficacy. *Int J Cancer* 134(11), 2572-82
- Bailey KM, Cornnell HH, Ibrahim-Hashim A, Wojtkowiak JW, Hart CP, Zhang X, Leos R, Martinez GV, Baker AF and Gillies RJ (2014). Evaluation of the "Steal" Phenomenon on the Efficacy of Hypoxia Activated Prodrug TH-302 in Pancreatic Cancer. *PLoS One*. 2014 Dec 22;9(12):e113586
- Tran LB, Bol A, Labar D, Karroum O, Bol V, Jordan B, Grégoire Vand Gallez B (2014). Potential role of hypoxia imaging using (18)F-FAZA PET to guide hypoxia-driven interventions (carbogen breathing or dose escalation) in radiation therapy. *Radiother Oncol* 113(2), 204-9
- Weiss A, van Beijnum JR, Bonvin D, Jichlinski P, Dyson PJ, Griffioen AW and Nowak-Sliwinska P (2014). Low-dose angiotensin tyrosine kinase inhibitors improve photodynamic therapy for cancer: lack of vascular normalization. *J Cell Mol Med* 18(3), 480-91
- Collet G, Robert E, Lenoir A, Vandamme M, Darny T, Dozias S, Kieda C and Pouvesle JM (2014). Plasma jet-induced tissue oxygenation: potentialities for new therapeutic strategies. *Plasma Sources Sci. Technol.* 23 012005 doi:10.1088/0963-0252/23/1/012005
- Li CX, Wong BL, Ling CC, Ma YY, Shao Y, Geng W, Qi X, Lau SH, Kwok SY, Wei N, Tzang FC, Ng KT, Liu XB, Lo CM and Man K (2014). A novel oxygen carrier ¹⁹Q23³ suppresses the liver tumor metastasis by decreasing circulating endothelial progenitor cells and regulatory T cells. *BMC Cancer* 14, 293
- Sun CJ, Li C, Lv HB, Zhao C, Yu JM, Wang GH, Luo YX, Li Y, Xiao M, Yin J and Lang JY (2014). Comparing CT perfusion with oxygen partial pressure in a rabbit VX2 soft-tissue tumor model. *J Radiat Res* 55(1), 183-90
- Tertilt M, Skrzypek K, Florczyk U, Weglarczyk K, Was H, Collet G, Guichard A, Gil T, Kuzdzal J, Jozkowicz A, Kieda C, Pichon C and Dulak J (2014). Regulation and novel action of thymidine phosphorylase in non-small cell lung cancer: crosstalk with Nrf2 and HO-1. *PLoS One* 9(5), e97070
- Huetting R, Kersemans V, Cornelissen B, Tredwell M, Hussien K, Christlieb M, Gee AD, Passchier J, Smart SC, Dilworth JR, Gouverneur V and Muschel RJ (2014). A comparison of the behavior of (64)Cu-acetate and (64)Cu-ATSM in vitro and in vivo. *J Nucl Med* 55(1), 128-34
- Li XF, Du Y, Ma Y, Postel GC and Civelek AC (2014). (18)F-fluoro-deoxyglucose uptake and tumor hypoxia: revisited (18)F-fluoro-deoxyglucose in oncology application. *Transl Oncol* 7(2), 240-7
- Collet G, Lamerant-Fayel N, Tertilt M, El Hafny-Rahbi B, Stepniewski J, Guichard A, Foucault-Collet A, Klimkiewicz K, Petoud S, Matejuk A, Grillon C, Jozkowicz A, Dulak J and Kieda C (2014). Hypoxia-regulated overexpression of soluble VEGFR2 controls angiogenesis and inhibits tumor growth. *Mol Cancer Ther* 13(1), 165-78
- Sun CJ, Li C, Lv HB, Zhao C, Yu JM, Wang GH, Luo YX, Li Y, Xiao M, Yin J and Lang JY (2014). Comparing CT perfusion with oxygen partial pressure in a rabbit VX2 soft-tissue tumor model. *J Radiat Res* 55(1), 183-90
- Jordan BF, Magat J, Collez F, Ozel E, Fruytier LC, Marchand V, Mignon L and Gallez B (2013). Application of MOBILE (mapping of oxygen by imaging lipids relaxation enhancement) to study variations in tumor oxygenation. *Adv Exp Med Biol* 789, 281-8
- Rizwan A, Serganova I, Khanin R, Karabeber H, Ni X, Thakur S, Zakian KL, Blasberg R and Koutcher JA (2013). Relationships between LDH-A, lactate, and metastases in 4T1 breast tumors. *Clin Cancer Res* 19(18), 5158-69
- Yoshikawa H, Ehrhart EJ, Charles JB, Custis JT and Larue SM (2013). Assessment of predictive molecular variables in feline oral squamous cell carcinoma treated with stereotactic radiation therapy. *Vet Comp Oncol*. 2016 Mar;14(1):39-57
- Huang T, Civelek AC, Zheng H, Ng CK, Duan X, Li J, Postel GC, Shen B and Li XF (2013). (18)F-misonidazole PET imaging of hypoxia in micrometastases and macroscopic xenografts of human non-small cell lung cancer: a correlation with autoradiography and histological findings. *Am J Nucl Med Mol Imaging*. 2013;3(2), 142-53
- Pagan J, Przybyla B, Jamshidi-Parsian A, Gupta K and Griffin RJ (2013). Blood outgrowth endothelial cells increase tumor growth rates and modify tumor physiology: relevance for therapeutic targeting. *Cancers (Basel)* 5(1), 205-17
- Ming L, Byrne NM, Camac SN, Mitchell CA, Ward C, Waugh DJ, McKeown SR and Worthington J (2013). Androgen deprivation results in time-dependent hypoxia in LNCaP prostate tumours: informed scheduling of the bioreductive drug AQ4N improves treatment response. *Int J Cancer* 132(6), 1323-32
- Mignon L, Magat J, Schakman O, Marbaix E, Gallez B and Jordan BF (2013). Hexafluorobenzene in comparison with perfluoro-15-crown-5-ether for repeated monitoring of oxygenation using 19F MRI in a mouse model. *Magn Reson Med* 69(1), 248-54
- Coudyzer P, Lemoine P, Jordan BF, Gallez B, Galant C, Nisolle M, Courtoy PJ, Henriot P and Marbaix E (2013). Hypoxia is not required for human endometrial breakdown or repair in a xenograft model of menstruation. *FASEB J*. 27(9), 3711-9
- Kieda C, El Hafny-Rahbi B, Collet G, Lamerant-Fayel N, Grillon C, Guichard A, Dulak J, Jozkowicz A, Kotlinowski J, Fylaktidou KC, Vidal A, Auzeloux P, Miot-Noirault E, Beloeil JC, Lehn JM and Nicolau C (2013). Stable tumor vessel normalization with pO2 increase and endothelial PTEN activation by inositol trispyrophosphate brings novel tumor treatment. *J Mol Med (Berl)*. 91(7), 883-99
- Skrzypek K, Tertilt M, Golda S, Ciesla M, Weglarczyk K, Collet G, Guichard A, Kozakowska M, Boczkowski J, Was H, Gil T, Kuzdzal J, Muchova L, Vittek L, Loboda A, Jozkowicz A, Kieda C and Dulak J (2013). Interplay between heme oxygenase-1 and miR-378 affects non-small cell lung carcinoma growth, vascularization and metastasis. *Antioxid Redox Signal*. 19(7), 644-60
- Deschepper M, Manassero M, Oudina K, Paquet J, Monfoulet LE, Bensidhoum M, Logeart-Avramoglou D and Petite H (2013). Proangiogenic and pro-survival functions of glucose in human mesenchymal stem cells upon transplantation. *Stem Cells* 31(3), 526-35
- Ballegeer EA, Madril NJ, Berger KL, Agnew DW and McNeil EA (2013). Evaluation of hypoxia in a feline model of head and neck cancer using 64Cu-ATSM positron emission tomography/computed tomography. *BMC Cancer* 13, 218.
- Tran LB, Bol A, Labar D, Jordan B, Magat J, Mignon L, Grégoire V and Gallez B (2012). Hypoxia imaging with the nitroimidazole (18)F-FAZA PET tracer: A comparison with OxyLite, EPR oximetry and (19)F-MRI relaxometry. *Radiother Oncol*. 105, 29-35
- Thrall DE, Maccarini P, Stauffer P, Macfall J, Hauck M, Snyder S, Case B, Linder K, Lan L, McCall Land Dewhirst MW (2012). Thermal dose fractionation affects tumour physiological response. *Int J Hyperthermia* 28(5), 431-40
- Laurens E, Yeoh SD, Rigopoulos A, Cao D, Cartwright GA, O'Keefe GJ, Tochon-Danguy HJ, White JM, Scott AM and Ackermann U (2012). Radiolabelling and evaluation of novel haloethylsulfonides as PET imaging agents for tumor hypoxia. *Nucl Med Biol* 39(6), 871-82
- Prevo R, Fokas E, Reaper PM, Charlton PA, Pollard JR, McKenna WG, Muschel RJ and Brunner TB (2012). The novel ATR inhibitor VE-821 increases sensitivity of pancreatic cancer cells to radiation and chemotherapy. *Cancer Biol Ther* 13(11), 1072-81
- Fokas E, Yoshimura M, Prevo R, Higgins G, Hackl W, Maira SM, Bernhard EJ, McKenna WG and Muschel RJ (2012). NVP-BE2255 and NVP-BGT226, dual phosphatidylinositol 3-kinase/mammalian target of rapamycin inhibitors, enhance tumor and endothelial cell radiosensitivity. *Radiat Oncol* 7, 48
- Ming L, Byrne N, Camac S, Mitchell C, Ward C, Waugh D, McKeown S and Worthington J (2012). Androgen deprivation results in time-dependent hypoxia in LNCaP prostate tumours; informed scheduling of the bioreductive drug AQ4N improves treatment response. *Int J Cancer* 132(6), 1323-32
- Ellingsen C, Ovrebo KM, Galappathi K, Mathiesen B and Rofstad EK (2012). pO2 fluctuation pattern and cycling hypoxia in human cervical carcinoma and melanoma xenografts. *Int J Radiat Oncol Biol Phys*. 83(4), 1317-23
- Myers AL, Orr WS, Denbo JW, Ng CY, Zhou J, Spence Y, Wu J and Davidoff AM (2012). Rapamycin-induced tumor vasculature remodeling in rhabdomyosarcoma xenografts increases the effectiveness of adjuvant ionizing radiation. *J Pediatr Surg* 47(1), 183-9
- Hsieh CH, Chang HT, Shen WC, Shyu WC and Liu RS (2012). Imaging the Impact of Nox4 in Cycling Hypoxia-mediated U87 Glioblastoma Invasion and Infiltration. *Mol Imaging Biol*. 14(4), 489-99
- Meng F, Evans JW, Bhupathi D, Banica M, Lan L, Lorente G, Duan JX, Cai X, Mowday AM, Guise CP, Maroz A, Anderson RF, Patterson AV, Stachelek GC, Glazer PM, Matteucci MD and Hart CP (2011). Molecular and cellular pharmacology of the hypoxia-activated prodrug TH-302. *Mol Cancer Ther*. 11(3), 740-51
- Carreau A, El Hafny-Rahbi B, Matejuk A, Grillon C and Kieda C (2011). Why is the partial oxygen pressure of human tissues a crucial parameter? Small molecules and hypoxia. *J Cell Mol Med* 15(6), 1239-53
- Serganova I, Rizwan A, Ni X, Thakur SB, Vider J, Russell J, Blasberg R and Koutcher JA (2011). Metabolic imaging: a link between lactate dehydrogenase A, lactate, and tumor phenotype. *Clin Cancer Res* 17(19), 6250-61
- Lawrentschuk N, Lee FT, Jones G, Rigopoulos A, Mountain A, O'Keefe G, Papanfuss AT, Bolton DM, Davis ID and Scott AM (2011). Investigation of hypoxia and carbonic anhydrase IX expression in a renal cell carcinoma xenograft model with oxygen tension measurements and ¹⁸F-CG250 PET/CT. *Urol Oncol* 29(4), 411-20
- Hsieh CH, Shyu WC, Chiang CY, Kuo JW, Shen WC and Liu RS (2011). NADPH oxidase subunit 4-mediated reactive oxygen species contribute to cycling hypoxia-promoted tumor progression in glioblastoma multiforme. *PLoS One* 6(9), e23945
- Kersemans V, Cornelissen B, Huetting R, Tredwell M, Hussien K, Allen PD, Falzone N, Hill SA, Dilworth JR, Gouverneur V, Muschel RJ and Smart SC (2011). Hypoxia imaging using PET and SPECT: the effects of anesthetic and carrier gas on [Cu]-ATSM, [Tc]-HL91 and [F]-FMISO tumor hypoxia accumulation. *PLoS One* 6(11), e25911
- Sen A, Capitano ML, Sperryak JA, Schueckler JT, Thomas S, Singh AK, Evans SS, Hylander BL and Repasky EA (2011). Mild elevation of body temperature reduces tumor interstitial fluid pressure and hypoxia and enhances efficacy of radiotherapy in murine tumor models. *Cancer Res* 71(11), 3872-80
- Winter JD, Akens MK and Cheng H-L, M (2011). Quantitative MRI assessment of VX2 tumour oxygenation changes in response to hyperoxia and hypercapnia. *Phys. Med. Biol.* 56, 1225-1242
- Dalrymple SL, Becker RE, Zhou H, Deweese TL and Isaacs JT (2011). Tasquinimod prevents the angiogenic rebound induced by fractionated radiation resulting in an enhanced therapeutic response of prostate cancer xenografts. *Prostate* 72(6), 638-48
- Busch TM, Wang H-W, Wileyto EP, Yu G. and Bunte RM (2010). Increasing damage to tumor blood vessels during metaxefin lutetium-PDT through use of low fluence rate. *Radiation Research* 174(3), 331-40
- Myers AL, Williams RF, Ng CY, Hartwich JE and Davidoff AM (2010). Bevacizumab-induced tumor vessel remodeling in rhabdomyosarcoma xenografts increases the effectiveness of adjuvant ionizing radiation. *J Pediatr Surg* 5, 1080-5
- Sims TL, McGee M, Williams RF, Myers AL, Tracey L, Hamner JB, Ng C, Wu J, Gaber MW, McCarville B, Nathwani AC and Davidoff AM (2010). IFN-beta restricts tumor growth and sensitizes alveolar rhabdomyosarcoma to ionizing radiation. *Mol Cancer Ther* 9, 761-71
- Bejota R, Kersemans V, Kelly C, Carroll L, King RC and Gouverneur V (2010). Pre-clinical evaluation of a 3-nitro-1,2,4-triazole analogue of [18F]FMISO as hypoxia-selective tracer for PET. *Nucl Med Biol*. 37(5), 565-575
- Ostrander JH, McMahon CM, Lem S, Millon SR, Brown JQ, Seewaldt VL, Ramanujam N (2010). Optical redox ratio differentiates breast cancer cell lines based on estrogen receptor status. *Cancer Res* 70(11), 4759-66
- Epel B, Hleihel D, Barth ED and Halpern HJ (2010). Electron paramagnetic resonance oxygen imaging of a rabbit tumor using localized spin probe delivery. *Med. Phys.* 37, 2553-59
- Bartlett R, Zanonico P, Carlin S, Chen S, Roble G, O'Donoghue J, Beattie B, Narayanan M, Georgi J-C and Humm JL (2010). Kinetic modeling of [18F]-FMISO microPET data and its correlation with image-guided pO2 measurements. *J Nucl Med*. 51 (Supplement 2):232
- Wang W, Lee NY, Georgi J-C, Narayanan M, Guillem J, Schöder H and Humm JL (2010). Pharmacokinetic analysis of hypoxia 18F-Fluoromisonidazole dynamic PET in head and neck cancer. *J Nucl Med* 51(1), 37-45
- Palmer GM, Viola RJ, Schroeder T, Yarmolenko PS, Dewhirst MW and Ramanujam N (2009). Quantitative diffuse reflectance and fluorescence spectroscopy: tool to monitor tumor physiology in vivo. *J Biomed Opt* 14(2), 024010
- Bechet D, Tirand L, Faurve B, Plénat F, Bonnet C, Bastogne T, Frochet C, Guillemin F and Barberi-Heyob M (2009). Neuprolin-1 targeting photosensitization-induced early stages of thrombosis via tissue factor release. *Pharm Research* 27(3), 468-79

- Hardee ME, Eapen RJ, Rabbani ZN, Dreher MR, Marks J, Blackwell KL and Dewhirst MW (2009). Her2/neu signaling blockade improves tumor oxygenation in a multifactorial fashion in Her2/neu+ tumors. *Cancer Chemother Pharmacol* 63, 219-28
- Jordan BF, Cron GO and Gallez B (2009). Rapid monitoring of oxygenation by 19F magnetic resonance imaging: Simultaneous comparison with fluorescence quenching. *Magn Reson Med*. 61, 634-8
- Hou H, Larivière JP, Demidenko E, Gladstone D, Swartz H and Khan N (2009). Repeated tumor pO₂ measurements by multi-site EPR oximetry as a prognostic marker for enhanced therapeutic efficacy of fractionated radiotherapy. *Radiother Oncol* 91, 126-31
- Moriyama EH, Niedre MJ, Jarvi MT, Mocanu JD, Moriyama Y, Subarsky P, Li B, Lilge LD and Wilson BC (2008). The influence of hypoxia on bioluminescence in luciferase-transfected gliosarcoma tumor cells in vitro. *Photochem Photobiol Sci* 7, 675-680
- Seshadri M, Bellnier DA, Vaughan LA, Sperryak JA, Mazurchuk R, Foster TH and Henderson BW (2008). Light delivery over extended time periods enhances the effectiveness of photodynamic therapy. *Clin Cancer Res* 14, 2796-2805
- Zhang M, Huang M, Le C, Zanzonico PB, Claus F, Kolbert KS, Martin K, Ling CC, Koutcher JA and Humm JL (2008). Accuracy and reproducibility of tumor positioning during prolonged and multi-modality animal imaging studies. *Phys Med Biol* 53, 5867-82
- Elas M, Bell R, Hleihel D, Barth ED, McFaul C, Haney CR, Bielanska J, Pustelny K, Ahn KH, Pelizzari CA, Koehrigsky M and Halpern HJ (2008). Electron paramagnetic resonance oxygen image hypoxic fraction plus radiation dose strongly correlates with tumor cure in F5a fibrosarcomas. *Int J Radiat Oncol Biol Phys* 71, 542-9
- Chan LS, Malcontenti-Wilson C, Muralidharan V and Christophi C (2008). Alterations in vascular architecture and permeability following OX4503 treatment *Anticancer Drugs* 19, 17-22
- Fels DR, Ye J, Segan AT, Kridel SJ, Spiotto M, Olson M, Koong AC and Koumenis C (2008). Preferential cytotoxicity of bortezomib toward hypoxic tumor cells via overactivation of endoplasmic reticulum stress pathways. *Cancer Res*, 68, 9323-30
- Chan N, Koritzinsky M, Zhao H, Bindra R, Glazer PM, Powell S, Belmaaza A, Wouters B and Bristow RG (2008). Chronic hypoxia decreases synthesis of homologous recombination proteins to offset chemoresistance and radioresistance. *Cancer Res* 68, 605-14
- Bayly SR, King RC, Honess DJ, Barnard PJ, Betts HM, Holland JP, Huetting R, Bonnitcha PD, Dilworth JR, Aigbirho FI and Christlieb M (2008). In vitro and in vivo evaluations of a hydrophilic 64Cu-bis(thiosemicarbazonato)-glucose conjugate for hypoxia imaging. *J Nucl Med* 49, 1862-8
- Riedl CC, Braeder P, Zanzonico PB, Chun YS, Woo Y, Singh P, Carlin S, Wen B, Ling CC, Hricak H and Fong Y (2008). Imaging hypoxia in orthotopic rat liver tumors with iodine 124-labeled iodoazomycin galactopyranoside PET. *Radiology* 248, 561-70
- Gulliksrud K, Vestvik IK, Galappathi K, Mathiesen B and Rofstad EK (2008). Detection of different hypoxic cell subpopulations in human melanoma xenografts by pimonidazole immunohistochemistry. *Radiat Res* 170, 638-50
- Sersa G, Jarm T, Kotnik T, Coer A, Podkrajsek M, Sentjurc M, Miklavcic D, Kadivec M, Kranjc S, Secerov A and Cemazar M (2008). Vascular disrupting action of electroporation and electrochemotherapy with bleomycin in murine sarcoma. *Br J Cancer* 98,388-98
- Via LE, LinPL, Ray SM, Carrillo J, Allen SS, Eum SY, Taylor K, Klein E, Manjunatha U, Gonzales J, Lee EG, Park SK, Raleigh JA, Cho SN, McMurray DN, Flynn JL and Barry CE 3rd (2008). Tuberculous granulomas are hypoxic in guinea pigs, rabbits, and non-human primates. *Infect Immun* 76, 2333-40
- Ceelen W, Boterberg T, Smeets P, van Damme N, Demetter P, Zwaenepoel O, Cesteleyn L, Houtmeyers P, Peeters M and Pattyn P (2007). Recombinant human erythropoietin α modulates the effects of radiotherapy on colorectal cancer microvessels. *British Journal of Cancer* 96, 692-700
- Raman V, Artemov D, Pathak AP, Winnard PT Jr, McNutt S, Yudina A, Bogdanov A Jr and Bhujwala ZM (2006). Characterizing vascular parameters in hypoxic regions: a combined magnetic resonance and optical imaging study of a human prostate cancer model. *Cancer Res* 66, 9929-36
- Ceelen W, Smeets P, Backes W, Van Damme N, Boterberg T, Demetter P, Bouckenoghe I, De Visschere M, Peeters M and Pattyn P (2006). Noninvasive monitoring of radiotherapy-induced microvascular changes using dynamic contrast enhanced magnetic resonance imaging (DCE-MRI). in a colorectal tumor model. *Int J Radiat Oncol Biol Phys* 64, 1188-96
- Nikfarjam M, Muralidharan V, Malcontenti-Wilson C, McLaren W and Christophi C (2006). Impact of blood flow occlusion on liver necrosis following thermal ablation. *ANZ J Surg* 76, 84-9
- Skliarenko JV, Lunt SJ, Gordon ML, Vitkin A, Milosevic M and Hill RP (2006). Effects of the vascular disrupting agent ZD6126 on interstitial fluid pressure and cell survival in tumors. *Cancer Res*. 66, 2074-80
- Wen B, Muneyasu U, O'Donoghue JA and Ling CC (2006). Measurements of partial oxygen pressure pO₂ using the OxyLite system in R3327-AT tumors under isoflurane anesthesia. *Radiat Res* 166, 512-518
- Martínive P, De Wever J, Bouzin C, Baudelet C, Sonveaux P, Gregoire V, Gallez B and Feron O (2006). Reversal of temporal and spatial heterogeneities in tumor perfusion identifies the tumour vascular tone as a tunable variable to improve drug delivery. *Mol Cancer Ther* 5, 1620-27
- Brurberg KG, Thuen M, Ruud EB and Rofstad EK (2006). Fluctuations in pO₂ in irradiated human melanoma xenografts. *Radiat Res* 165, 16-25
- Crokart N, Jordan BF, Baudelet C, Ansiaux R, Sonveaux P, Grégoire V, Beghein N, DeWeyer J, Bouzin C, Feron O, Gallez B (2005). Early reoxygenation in tumors after irradiation: determining factors and consequences for radiotherapy regimens using daily multiple fractions. *Int J Radiat Oncol Biol Phys*. 63, 901-10
- Cemazar M, Wilson I, Prise VE, Bell KM, Hill SA and Tozer GM (2005). The endothelin B (ETB) receptor agonist IRL 1620 is highly vasoconstrictive in two syngeneic rat tumour lines: potential for selective tumour blood flow modification. *British Journal of Cancer* 9, 98-106
- Nikfarjam M, Muralidharan V, Malcontenti-Wilson C and Christophi C (2005). Progressive microvascular injury in liver and colorectal liver metastases following laser induced focal hyperthermia therapy. *Lasers Surg Med*. 37, 64-73
- Daruwalla J, Nikfarjam M, Malcontenti-Wilson C, Muralidharan V, Christophi C (2005). Effect of thalidomide on colorectal cancer liver metastases in CBA mice. *J Surg Oncol*. 91, 134-40
- Brurberg KG, Skogmo HK, Graff BA, Olsen DR, Rofstad EK (2005). Fluctuations in pO₂ in poorly and well-oxygenated spontaneous canine tumors before and during fractionated radiation therapy. *Radiother Oncol* 77, 220-226
- Wachsberger BR, Purd R, Marero N, Daskalakis C, Ryan A, Mc Cue P and Dicker AP (2005). Effect of the tumor vascular-damaging agent, ZD6126, on the radioresponse of U87 glioblastoma. *Clin Cancer Res* 15, 835-42
- O'Donoghue JA, Zanzonico P, Pugachev A, Wen B, Smith-Jones P, Cai S, Burnazi E, Finn RD, Burgman P, Ruan S, Lewis JS, Welch MJ and Ling CC (2005). Assessment of regional tumor hypoxia using ¹²⁵I-fluoromisonidazole and ⁶⁴Cu(II)-diacetyl-bis(N-methylthiosemicarbazone) PET: comparative study featuring MicroPET imaging, pO₂ probe measurement, autoradiography, and fluorescent microscopy in the R3327-AT and FaDu rat tumor models. *Int J Rad Onc Biol Phys* 61, 1493-1502
- Sonveaux P, Kaz AM, Snyder SA, Rixhardson RA, Cardenas-Navia LI, Braun RD, Pawloski JR, Tozer GM, Bonaventura J, McMahon TJ, Stamler JS and Dewhirst MW (2005). Oxygen regulation of tumor perfusion by S-nitrosohemoglobin reveals a suppressor activity of nitric oxide. *Circ. Res* 96, 1119-22
- Kalliomäki T and Hill RP (2004). Effects of tumor acidification with glucose-MIBG on the spontaneous metastatic potential of two murine cell lines. *British Journal of Cancer* 90, 1842-1849
- Cárdenas-Navia LI, Daohai Yu D, Braun RD, Brizel DM, Secomb TW and Dewhirst MW (2004). Tumor-dependent kinetics of partial pressure of oxygen fluctuations during air and oxygen breathing. *Cancer Research* 64, 6010-6017
- Kostourou V, Troy H, Murray JF, Cullis ER, Whitley GS, Griffiths JR, Robinson SP (2004). Overexpression of dimethylarginine dimethylaminohydrolase enhances tumor hypoxia: an insight into the relationship of hypoxia and angiogenesis in vivo. *Neoplasia* 6, 401-11
- Baudelet C and Gallez B (2004). Effect of anesthesia on the signal intensity in tumors using BOLD-MRI: Comparison with flow measurements by laser Doppler flowmetry and oxygen measurements by luminescence-based probes. *Magn Reson Imaging* 22, 905-12
- Barthel H, Wilson H, Collingridge DR, Brown G, Osman S, Luthra SK, Brady F, Workman P, Price PM and Aboagye EO (2004). In vivo evaluation of [¹⁸F]fluorocytanidazole as a new marker for imaging tumour hypoxia with positron emission tomography. *British Journal of Cancer* 90, 2232-2242
- Jordan BF, Sonveaux P, Feron O, Gregoire V, Beghein N, Dessy C and Gallez B (2004). Nitric oxide as a radiosensitizer: evidence for an intrinsic role in addition to its effect on oxygen delivery and consumption. *Int J Cancer* 109, 769-773
- Kostourou V, Troy H, Murray JF, Cullis ER, Whitley GJ, Griffiths JR and Robinson SP (2004). Overexpression of dimethylarginine dimethylaminohydrolase enhances tumor hypoxia: an insight into the relationship of hypoxia and angiogenesis in vivo. *Neoplasia* 6, 401-411
- Brurberg KG, Graff BA, Olsen DR and Rofstad EK (2004). Tumor-line specific pO₂ fluctuations in human melanoma xenografts. *Int J Radiat Oncol Biol Phys* 58, 403-09
- Huang Z, Chen Q, Trncic N, LaRue SM, Brun PH, Wilson BC, Shapiro H and Hetzel FW (2004). Effects of Pd-bacteriopheophorbide (TOOKAD)-mediated photodynamic therapy on canine prostate pretreated with ionizing radiation. *Radiation Research* 161, 723-31
- Hicks KO, Siim BG, Pruijn FB and Wilson WR (2004). Oxygen dependence of the metabolic activation and cytotoxicity of tirapazamine: implications for extra-vascular transport and activity in tumors. *Radiation Research* 161, 656-666
- Folkes LK and Wardman P (2003). Enhancing the efficacy of photodynamic cancer therapy by radicals from nitro Aloxin (Indole-3-Acetic Acid). *Cancer Res* 63, 776-79
- Gu Y, Bourke VA, Kim JG, Constantinescu A, Mason RP and Liu H (2003). Dynamic response of breast tumor oxygenation to hyperoxic respiratory challenge monitored with three oxygen-sensitive parameters. *Appl Opt* 42, 2960-67
- Chen B, Ahmed B, Landuyt W, Ni Y, Gaspar R, Roskams T and de Witte P (2003). Potentiation of photodynamic therapy with hypericin by mitomycin C in the radiation-induced fibrosarcoma-1 mouse tumor model. *Photochem Photobiol* 78, 278-82
- Huang Z, Chen Q, Shakil A, Chen H, Beckers J, Shapiro H and Hetzel F W (2003). Hyperoxygenation enhances the tumor cell killing of photofrin-mediated photodynamic therapy. *Photochem Photobiol* 78, 496-502
- Zanzonico P, O'Donoghue J, Chapman, JD, Schneider R, Cai S, Larson S, Wen B, Chen Y, Finn R, Ruan S, Gerweck L, Humm J and Ling C (2003). Iodine-124-labeled iodo-azomycin-galactoside imaging of tumor hypoxia in mice with serial microPET scanning. *Eur J Nucl Med Mol Imaging* 31, 117-128
- Blackwell KL, Kirkpatrick JP, Snyder SA, Broadwater G, Farrell F, Jolliffe L, Brizel DM and Dewhirst MW (2003). Human recombinant erythropoietin significantly improves tumor oxygenation independent of its effects on hemoglobin. *Cancer Res* 63, 6162-65
- Brurberg KG, Graff BA and Rofstad EK (2003). Temporal heterogeneity in oxygen tension in human melanoma xenografts. *British Journal of Cancer* 89, 350-56
- Jordan BF, Sonveaux P, Feron O, Gregoire V, Beghein N and Gallez B (2003). Nitric oxide-mediated increase in tumor blood flow and oxygenation of tumors implanted in muscles stimulated by electric pulses. *Int J Radiat Oncol Biol Phys* 55, 1066-73
- Jarm T, Podobnik B, Sersa G and Miklavcic D (2003). Effect of hyalazine on blood flow, oxygenation, and interstitial fluid pressure in subcutaneous tumors. *Adv Exp Med Biol* 510, 25-29
- Burd R, Lavorgna SN, Daskalakis C, Wachsberger PR, Wahl ML, Biaglow JE, Stevens CW and Leeper DB (2003). Tumor oxygenation and acidification are increased in melanoma xenografts after exposure to hyperglycemia and meta-iodo-benzylguanidine. *Radiat Res* 159, 328-335
- Jordan BF, Beghein N, Aubry M, Gregoire V and Gallez B (2003). Potentiation of radiation-induced regrowth delay by isosorbide dinitrate in F5all murine tumors. *Int J Cancer* 103, 138-41
- Baudelet C and Gallez B (2002). How does blood oxygen level-dependent (BOLD) contrast correlate with oxygen partial pressure (pO₂) inside tumors? *Magn Reson Med* 48, 980-986
- Demeure RJ, Jordan BF, Yang QX, Beghein N, Smith MB, Gregoire V and Gallez B (2002). Removal of local field gradient artefacts in BOLD contrast imaging of head and neck tumours. *Phys Med Biol* 47, 1819-25
- Urano M, Chen Y, Humm J, Koutcher JA, Zanzonico P and Ling C (2002). Measurements of tumor tissue oxygen tension using a time-resolved luminescence-based optical OxyLite probe: comparison with a paired survival assay. *Radiat Res* 158, 167-173
- Jarm T, Sersa G and Miklavcic D (2002). Oxygenation and blood flow in tumors treated with hyalazine: evaluation with a novel luminescence-based fiber-optic sensor. *Technol Health Care* 10, 363-80
- Jordan BF, Gregoire V, Demeure RJ, Sonveaux P, Feron O, O'Hara J, Vanhulle VP, Delzenne N and Gallez B (2002). Insulin increases the sensitivity of tumors to irradiation: involvement of an increase in tumor oxygenation mediated by a nitric oxide-dependent decrease of the tumor cells oxygen consumption. *Cancer Res* 62, 3555-3561
- Cairns RA, Kalliomäki T and Hill RP (2001). Acute (cyclic) hypoxia enhances spontaneous metastasis of KHT murine tumors. *Cancer Res* 15, 8903-08
- Zhao D, Constantinescu A, Hahn EW and Mason RP (2001). Tumor oxygen dynamics with respect to growth and respiratory challenge: investigation of the Dunning prostate R3327-HI tumor. *Radiat Res* 156, 510-520
- Jarm T, Lesnicar H, Sersa G and Miklavcic D (2001). First experience with a novel luminescence-based optical sensor for measurement of oxygenation in tumors. *Radial Oncol* 35, 277-291
- Braun RD, Lanzen JL, Snyder SA and Dewhirst MW (2001). Comparison of tumor and normal tissue oxygen tension measurements using OxyLite or microelectrodes in rodents. *Am J Physiol Heart Circ Physiol* 280, H2533-44
- Neeman M, Dafni H, Bukhari O, Braun RD and Dewhirst MW (2001). In vivo BOLD contrast MRI mapping of subcutaneous vascular function and maturation: validation by intravital microscopy. *Magn Reson Med* 45, 887-898
- Bussink J, Kaanders JHAM, Strik AM and Van der Kogel AJ (2000). Effects of nicotinamide and carbogen on oxygenation in human tumor xenografts measured with luminescence-based fiber-optic probes. *Radiother Oncol* 57, 21-30
- Dewhirst MW, Klitzman B, Braun RD, Brizel DM, Haroon ZA and Secomb TW (2000). Review of methods used to study oxygen transport at the microcirculatory level. *Int J Cancer* 90, 237-55

- Connell BJ, Saleh MC, Khan BV, Rajagopal D and Saleh TM (2012). UPEI-100, a conjugate of lipoic acid and apocynin, mediates neuroprotection in a rat model of ischemia/reperfusion. *Am J Physiol Regul Integr Comp Physiol*. 302(7), R886-95
- Liew HK, Pang CY, Hsu CW, Wang MJ, Li TY, Peng HF, Kuo JS and Wang JY (2012). Systemic administration of urocortin after intracerebral hemorrhage reduces neurological deficits and neuroinflammation in rats. *J Neuroinflammation*. 19 (9):13. doi: 10.1186/1742-2094-9-13
- Levi H, Schoknecht K, Prager O, Chassidim Y, Weissberg I, Serlin Y and Friedman A (2012). Stimulation of the sphenopalatine ganglion induces reperfusion and blood-brain barrier protection in the photothrombotic stroke model. *PLoS One*. 2012;7(6), e39636
- Zhu XH, Zhang Y, Wiesner HM, Ugurbil K and Chen W (2012). In vivo measurement of CBF using ¹⁷O NMR signal of metabolically produced H₂(17) O as a perfusion tracer. *Magn Reson Med*. 70(2), 309-14
- Wang LC, Huang CY, Wang HK, Wu MH and Tsai KJ (2012). Magnesium sulfate and nimesulide have synergistic effects on rescuing brain damage after transient focal ischemia. *J Neurotrauma* 29(7), 1518-29
- Connell BJ, Khan BV, Rajagopal D, and Saleh MT (2012). Novel Neurovascular Protective Agents: Effects of INV-155, INV-157, INV-159, and INV-161 versus Lipoic Acid and Captopril in a Rat Stroke Model. *Cardiology Research and Practice*, 2012, 319230
- Marbacher S, Anderegg L, Neuschmelting V, Widmer HR, von Gunten M, Takala J, Jakob SM and Fandino J (2012). A new rabbit model for the study of early brain injury after subarachnoid hemorrhage. *J Neurosci Methods* 208(2), 138-45
- Connell BJ and Saleh TM (2012). Co-administration of apocynin with lipoic acid enhances neuroprotection in a rat model of ischemia/reperfusion. *Neurosci Lett* 507(1), 43-6
- Baskerville TA, Deuchar GA, McCabe C, Robertson CA, Holmes WM, Santosh C and Macrae IM (2011). Influence of 100% and 40% oxygen on penumbral blood flow, oxygen level, and T2*-weighted MRI in a rat stroke model. *J Cereb Blood Flow Metab*. 31(8), 1799-806
- Chou JL, Wu CH, Tsai CY, Chang AY and Chan SH (2011). Proteomic investigation of a neural substrate intimately related to brain death. *Proteomics* 11(2), 239-48
- Chang HH, Lee YC, Chen MF, Kuo JS and Lee TJ (2011). Sympathetic activation increases basilar arterial blood flow in normotensive but not hypertensive rats. *Am J Physiol Heart Circ Physiol*. 302(5), H1123-30
- Lin XJ, Mei GP, Liu J, Li YL, Zuo D, Liu SJ, Zhao TB, and Lin MT (2011). Therapeutic effects of melatonin on heatstroke-induced multiple organ dysfunction syndrome in rats. *J Pineal Res* 50(4), 436-444
- Chan JY, Tsai CY, Wu CH, Li FC, Dai KY, Sun EY, Chan SH and Chang AY (2011). Sumoylation of hypoxia-inducible factor-1 α ameliorates failure of brain stem cardiovascular regulation in experimental brain death. *PLoS One* 6(3), e17375.
- Mishra AM, Ellens DJ, Schridde U, Motelow JE, Purcaro MJ, DeSalvo MN, Enev M, Sanganahalli BG, Hyder F and Blumenfeld H (2011). Where fMRI and electrophysiology agree to disagree: corticohalamic and striatal activity patterns in the WAG/Rij rat. *J Neurosci* 31(42), 15053-64
- Liu X, Zhu XH, Zhang Y and Chen W (2011). Neural origin of spontaneous hemodynamic fluctuations in rats under burst-suppression anesthesia condition. *Cereb Cortex* 21(2), 374-84
- Lin YC, Ko TL, Shih YH, Lin MY, Fu TW, Hsiao HS, Hsu JY and Fu YS (2011). Human umbilical mesenchymal stem cells promote recovery after ischemic stroke. *Stroke* 42(7), 2045-53
- Greco R, Meazza C, Mangione AS, Allena M, Bolla M, Amantea D, Mizoguchi H, Sandrini G, Nappi G and Tassorelli C (2011). Temporal profile of vascular changes induced by systemic nitroglycerin in the meningeal and cortical districts. *Cephalalgia* 31(2), 190-8
- Hamadate N, Yamaguchi T, Sugawara A, Togashi H, Izumi T, Yoshida T, Ohmura Y and Yoshioka M (2010). Liposome-encapsulated hemoglobin ameliorates impairment of fear memory and hippocampal dysfunction after cerebral ischemia in rats. *J Pharmacol Sci* 114, 409 – 419
- Sukhotinsky I, Yaseen MA, Sakadzic S, Ruvinskaya S, Sims JR, Boas DA, Moskowitz MA and Ayata C (2010). Perfusion pressure-dependent recovery of cortical spreading depression is independent of tissue oxygenation over a wide physiologic range. *J Cereb Blood Flow Metab* 30(6), 1168-77
- Ortiz-Prado E, Nataha S, Srinivasana S and Dunn JF (2010). A method for measuring brain partial pressure of oxygen in unanesthetized unrestrained subjects: The effect of acute and chronic hypoxia on brain tissue pO₂. *Journal of Neuroscience Methods* 193, 217–225
- Spiotto MT, Banh A, Papandreou I, Cao H, Galvez MG, Gurtner GC, Denko NC, Le QT and Koong AC (2010). Imaging the unfolded protein response in primary tumors reveals microenvironments with metabolic variations that predict tumor growth. *Cancer Res* 70(1), 78-88
- Hsi-Hsing Y, Ching-Ping C, Juei-Tang C and Lin MT (2010). Inhibition of acute lung inflammation and injury is a target of brain cooling after heatstroke injury. *J Trauma*. 69(4), 805-812
- Ragoonanan TE et al. (2009). Metoprolol reduces cerebral tissue oxygen tension after acute hemodilution in rats. *Anesthesiology* 111, 988-1000
- Bickenbach J, Zoremba N, Fries M, Dembinski R, Doering R, Ogawa E, Rossaint R and Kuhlen R (2009). Low tidal volume ventilation in a porcine model of acute lung injury improves cerebral tissue oxygenation. *Anesth Analg*. 109(3), 847-55
- Liu CC, Cheng BC, Lin MT and Lin HJ (2009). Small volume resuscitation in a rat model of heatstroke. *Am J Med Sci* 337, 79-87
- Shen YC, Wang YH, Chou YC, Liou KT, Yen JC, Wang WY and Liao JF (2008). Dimemorfan protects rats against ischemic stroke through activation of sigma-1 receptor-mediated mechanisms by decreasing glutamate accumulation. *J Neurochem* 104, 558-72
- Englot DJ, Mishra AM, Mansuripur PK, Herman P, Hyder F and Blumenfeld H (2008). Remote effects of focal hippocampal seizures on the rat neocortex. *J Neurosci* 28, 9066-81
- Hwang WS, Chen SH, Lin CH, Chang HK, Chen WC and Lin MT (2008). Human umbilical cord blood-derived CD34+ cells can be used as a prophylactic agent for experimental heatstroke. *Journal of Pharmacological Sciences* 106, 46-55
- Gormana D and Huang YL (2008). Haeme oxygenase and nitric oxide synthetase blockade and brain blood flow in sheep exposed to carbon monoxide. *Neuroscience Letters* 444, 203-207
- Strbian D, Durukan A, Pitkonen M, Marinkovic I, Tatlisumak E, Pedrono E, Abo-Ramadan U and Tatlisumak T (2008). The blood-brain barrier is continuously open for several weeks following transient focal cerebral ischemia. *Neuroscience* 153, 175-181
- Baker J, Park E, Hare GMT, Liu E, Sikich N and Mazer DC (2008). Effects of resuscitation fluid on neurologic physiology after cerebral trauma and hemorrhage. *J Trauma* 64, 348-357
- Rigamonti A, McLaren AT, Mazer DC, Nix K, Ragoonanan T, Freedman J, Harrington A and Hare GMT (2008). Storage of strain-specific rat blood limits cerebral tissue oxygen delivery during acute fluid resuscitation. *Br J Anaesth*. 100, 357-64
- Chen YC, Liu YC, Yen DHT, Wang LM, Huang CI, Lee CH and Lin MT (2008). L-Arginine causes amelioration of cerebrovascular dysfunction and brain inflammation during experimental heatstroke. *Shock* 29, 212-216
- Petrushanko IY, Bogdanov NB, Lapina N, Boldyrev AA, Gassmann M and Bogdanova AY (2007). Oxygen-induced regulation of Na/K ATPase in cerebellar granule cells. *J Gen Physiol* 130, 389-398
- Chen SH, Chang FM, Chang HK, Chen WC, Huang KF and Lin MT (2007). Human umbilical cord blood-derived CD34+ cells cause attenuation of multi-organ dysfunction during experimental heatstroke. *Shock* 27, 663-71
- Pena JP, Tomimatsu T, Hatran DP, McGill LL and Longo LD (2007). Cerebral blood flow and oxygenation in ovine fetus: responses to superimposed hypoxia at both low and high altitude. *J Physiol* 578, 359-70
- Tomimatsu T, Pereyra Peña JL and Longo LD (2007). Fetal cerebral oxygenation: the role of maternal hyperoxia with supplemental CO₂ in sheep. *Am J Obstet Gynecol*. 196, 359.e1-5.
- Tomimatsu T, Pereyra Peña JL and Longo LD (2007). Fetal hypercapnia in high altitude acclimatized sheep: cerebral blood flow and cerebral oxygenation. *Reprod Sci* 17, 1-8
- Pereyra Peña JL, Tomimatsu T, Hatran DP, McGill LL and Longo LD (2007). Cerebral blood flow and oxygenation in the ovine fetus: responses to superimposed hypoxia at both low and high altitude. *J Physiol (Lond)*. 578, 359-370
- Hsiao G, Lee J-J, Chen Y-C, Lin J-H, Shen M-Y, Lin K-H, Chou D-S and Sheu J-R (2007). Neuroprotective effects of PMC, a potent α -tocopherol derivative, in brain ischemia-reperfusion: reduced neutrophil activation and anti-oxidant actions. *Biochemical Pharmacology* 73, 682-693
- Jensen EC, Bennet L, Hunter CJ, Power GC and Gunn AJ (2006). Post-hypoxic hypoperfusion is associated with suppression of cerebral metabolism and increased tissue oxygenation in near-term fetal sheep. *J Physiol*. 572, 131-39
- Li M, Ratcliffe SJ, Knoll F, Wu J, Ances B, Mardini W and Floyd TF (2006). Aging: impact upon local cerebral oxygenation and blood flow with acute isovolemic hemodilution. *J Neurosurg Anesthesiol* 18, 125-31
- Chen SH, Chang FM, Niu KC, Lin MY and Lin MT (2006). Resuscitation from experimental heatstroke by estrogen therapy. *Crit Care Med* 34, 1113-18
- Chen TY, Lee MY, Kuo YL, Lin SC, Wu TS and Lee EJ (2006). Melatonin attenuates the post-ischemic increase in blood-brain barrier permeability and decreases hemorrhagic transformation of tissue-plasminogen activator therapy following ischemic stroke in mice. *J Pineal Res* 40, 242-50
- Hsu SF, Niu KC, Lin CL and Lin MT (2006). Brain cooling causes attenuation of cerebral oxidative stress, systemic inflammation, activated coagulation, and tissue ischemia/injury during heatstroke. *Shock* 26, 210-20
- Lee WC, Wen HC, Chang CP, Chen MY and Lin MT (2006). Heat shock protein 72 overexpression protects against hyperthermia, circulatory shock, and cerebral ischemia during heatstroke. *J Appl Physiol* 100, 2073-82
- Tomimatsu T, Pereyra-Peña JL and Longo LD (2006). Fetal hypercapnia and cerebral oxygenation: studies in near-term sheep. *Pediatr Res* 60, 711-716
- Hare GMT, Worrall JMA, Baker AJ, Liu E, Sikich N and Mazer CD (2006). β_2 adrenergic antagonist inhibits cerebral cortical oxygen delivery after severe haemodilution in rats. *British Journal of Anaesthesia* 97, 617–23
- Hare GMT, Harrington A, Liu E, Wang JL, Baker AJ, and Mazer CD (2006). Effect of oxygen affinity and molecular weight of HBOCs on cerebral oxygenation and blood pressure in rats. *Can J Anesth* 53, 1030–1038
- Chen H-Y, Chen T-Y, Lee M-Y, Chen S-T, Hsu Y-S, Kuo Y-L, Chang G-L, Wu T-S and Lee E-J (2006). Melatonin decreases neurovascular oxidative/nitrosative damage and protects against early increases in the blood-brain barrier permeability after transient focal cerebral ischemia in mice. *J Pineal Res* 41, 175-182
- Strbian D, Karjalainen-Lindsberg M-L, Tatlisumak T and Lindsberg PJ (2006). Cerebral mast cells regulate early ischemic brain swelling and neutrophil accumulation. *J Cereb Blood Flow Metab*. 26, 605-12
- Hermán P, Trübel HKF and Hyder F (2006). A multi-parametric assessment of oxygen efflux from the brain. *J Cereb Blood Flow Metab* 26, 79-91
- Trübel HKF, Sacolic Li and Hyder F (2006). Regional temperature changes in the brain during somatosensory stimulation. *J Cereb Blood Flow Metab* 26, 68-78
- Woitzik J, Schneider UC, Thomé, Schroeck H and Schilling L (2006). Comparison of different intravascular thread occlusion models for experimental stroke in rats. *RJ Neuroscience Methods* 151, 224-231
- Tomimatsu T, Pereyra Peña JL, Hatran DP and Longo LD (2006). Maternal oxygen administration and fetal cerebral oxygenation: studies on near-term fetal lambs at both low and high altitude. *Am J Obstet Gynecol* 195, 535-541
- Verberne AJM and McInerney K (2006). Pancreatic vasoconstrictor responses are regulated by neurons in the rostral ventrolateral medulla. *Brain Res* 1102, 127-130
- Lee JJ, Lin MT, Wang NL, Lin CL and Chang CK (2005). Platolin, a cyanine photosensitizing dye, causes attenuation of circulatory shock, hypercoagulable state, and tissue ischemia during heat stroke. *Shock*. 24, 577-82
- Wang NL, Chang CK, Liou YL, Lin CL and Lin MT (2005). Shengmai San, a Chinese herbal medicine protects against rat heat stroke by reducing inflammatory cytokines and nitric oxide formation. *J Pharmacol Sci*. 98(1), 1-7
- Lyng K, Braakhuus M, Froen JF, Stray-Pedersen B, Saugstad OD (2005). Inflammation increases vulnerability to hypoxia in newborn piglets: effect of reoxygenation with 21% and 100% O₂. *Am J Obstet Gynecol* 192(4), 1172-8
- Wang NL, Liou YL, Lin MT, Lin CL and Chang CK (2005). Chinese herbal medicine, Shengmai San, is effective for improving circulatory shock and oxidative damage in the brain during heatstroke. *J Pharmacol Sci* 97, 253-65
- Wang JL, Ke DS and Lin MT (2005). Heat shock pre-treatment may protect against heatstroke – induced circulatory shock and cerebral ischemia by reducing oxidative stress and energy depletion. *Shock* 23, 161-7
- Chang CP, Chen SH, Lin MT (2005). Ipsapirone and ketanserin protects against circulatory shock, intracranial hypertension, and cerebral ischemia during heatstroke. *Shock* 24, 336-40
- Lin MT, Chen SH, Chang FM, Tsai YC and Huang KF (2005). Resuscitation from experimental heatstroke by transplantation of human umbilical cord blood cells. *Crit Care Med* 33, 1377-83
- O'Hara JA, Hou H, Demidenko E, Springett RJ, Khan N and Swartz HM (2005). Simultaneous measurement of rat brain cortex P_{tiO₂} using EPR oximetry and a fluorescence fibre-optic sensor during normoxia and hyperoxia. *Physiol Meas* 26, 203-13
- Wen Y-S, Huang M-S, Lin M-T and Lee C-H (2005). Rapid brain cooling by hypothermic retrograde jugular vein flush. *J Trauma* 58, 577-581
- Gonzalez H, Hunter CJ, Bennet L, Power GG and Gunn AJ (2005). Cerebral oxygenation during post-asphyxial seizures in near-term fetal sheep. *J Cereb Blood Flow Metab* 25, 911-918
- Nurmi A, Vartiainen N, Pihlaja R, Golsteins G, Vranjanecki J and Koistinaho J (2004). Pyrrolidine dithiocarbamate inhibits translocation of nuclear factor kappa-B in neurons and protects against brain ischaemia with a wide therapeutic time window. *J Neurochem* 91, 755-65
- Fabian RH, Perez-Polo JR and Kent T (2004). Extracellular superoxide concentration increases following cerebral hypoxia but does not affect cerebral blood flow. *Int J Devl Neuroscience* 22, 225-230
- Liu C-C, Ke D, Chen Z-C and Lin M-T (2004). Hydroxyethyl starch produces attenuation of circulatory shock and cerebral ischemia during heatstroke. *Shock* 22, 288-294
- Nersesyan H, Herman P, Erdogan E, Hyder F and Blumenfeld H (2004). Relative changes in cerebral blood flow and neuronal activity in local microdomains during generalized seizures. *J Cereb Blood Flow Metab* 24, 1057-1068
- Trubel H, Herman P, Kampmann C, Huth R, Maciejewski PK, Novotny E and Hyder F (2004). A novel approach for selective brain cooling: implications for hypercapnia and seizure activity. *Intensive Care Med* 30, 1829-1833

- Patel NN, Lin H, Toth T, Jones C, Ray P, Welsh GI, Satchell SC, Sleeman P, Angelini GD and Murphy GJ (2011). Phosphodiesterase-5 inhibition prevents postcardiopulmonary bypass acute kidney injury in swine. *Ann Thorac Surg* 92(6), 2168-76
- Patel NN, Toth T, Jones C, Lin H, Ray P, George SJ, Welsh G, Satchell SC, Sleeman P, Angelini GD and Murphy GJ (2011). Prevention of post-cardiopulmonary bypass acute kidney injury by endothelin A receptor blockade. *Crit Care Med*. 2011 39(4), 793-802
- Patel NN, Lin H, Toth T, Welsh GI, Jones C, Ray P, Satchell SC, Sleeman P, Angelini GD and Murphy GJ (2011). Reversal of anaemia with allogenic RBC transfusion prevents post-cardiopulmonary bypass acute kidney injury in swine. *Am J Physiol Renal Physiol* 301(3), F605-14
- Dyson A, Bezemer R, Legrand M, Balestra G, Singer M and Ince C (2011). Microvascular and interstitial oxygen tension in the renal cortex and medulla studied in a 4-h rat model of LPS-induced endotoxemia. *Shock* 36(1), 83-9
- Zaets SB, Xu D-Z, Lu Q, Feketova E, Berezina TL, Malinina IV, Deitch EA and Olsen EH (2010). Recombinant Factor XIII Mitigates Hemorrhagic Shock-Induced Organ Dysfunction. *Journal of Surgical Research, J Surg Res*. 166(2), e135-42
- Mac Grory B, O'Connor Et, O'Halloran KD and Jones JFX (2010). The effect of pro-inflammatory cytokines on the discharge rate of vagal nerve parasympathetic activity in the rat. *Respiratory Physiology & Neurobiology* 171, 122-127
- Li LP, Ji L, Santos EA, Dunkle E, Pierchala L and Prasad P (2009). Effect of nitric oxide synthase inhibition on intrarenal oxygenation as evaluated by blood oxygenation level-dependent magnetic resonance imaging. *Invest Radiol* 44, 67-73
- Stern S, Rice J, Philbin N, McGwin G, Arnaud F, Johnson T, Flournoy WS, Ahlers S, Pearce LB, McCarron R and Freilich D (2009). Resuscitation with the hemoglobin-based oxygen carrier, HBOC-201, in a swine model of severe uncontrolled hemorrhage and traumatic brain injury. *Shock* 31, 64-79
- Cooper ES, Bateman SW and Muir WW (2009). Evaluation of hyperviscous fluid resuscitation in a canine model of hemorrhagic shock: a randomized, controlled study. *J Trauma* 66, 1365-73
- Cai RS, Alexander MS, Marson L (2008). Activation of somatosensory afferents elicit changes in vaginal blood flow and the urethrogenital reflex via autonomic efferents. *J Urol* 180, 1167-72
- Guven S, Muci E, Unsal MA, Yulug E, Alver A, Duman MK and Mentese A (2008). The effects of carbon dioxide pneumoperitoneum on ovarian blood flow, oxidative stress markers, and morphology during laparoscopy: a rabbit model. *Fertil Steril*. 93(4), 1327-32
- Deniz T, Agalar C, Agalar F, Comu FM, Caglayan O, Alpay Y, and Saygun O (2008). The Effect of hypothermia on splanchnic flows and lung in a two-hit hemorrhagic shock model. *Journal of Surgical Research* 158(1), 121-126
- Driessen B, Zarrucco L, Gunther RA, Burns PM, Lamb SV, Vincent SE, Boston RA, Jahr JS and Cheung ATW (2007). Effects of low-volume haemoglobin glutamer-200 versus normal saline and arginine vasopressin resuscitation on systemic and skeletal muscle blood flow and oxygenation in a canine hemorrhagic shock model. *Crit Care Med* 35, 1-9
- Tokunaga C, Bateman RM, Boyd J, Wang Y, Russell JA and Walley KR (2007). Albumin resuscitation improves ventricular contractility and myocardial tissue oxygenation in rat endotoxemia. *Crit Care Med* 35, 1341-47
- Deniz T, Agalar C, Ozdogan M, Comu F, Emirdogan M, Taskin S, Saygun O and Agalar F (2007). Oral carbohydrate solution ameliorates endotoxemia-induced splanchnic ischemia. *Dig Dis Sci*. 52, 287-91
- Krejci V, Hildebrand LB and Sigurdsson GH (2006). Effects of epinephrine, norepinephrine, and phenylephrine on microcirculatory blood flow in the gastrointestinal tract in sepsis. *Critical Care Medicine* 34, 1456-146
- Yen DHT, Chan JH, Huang CI, Lee CH, Chan SH and Chang AY (2005). Coenzyme Q10 confers cardiovascular protection against acute mevinphos intoxication by ameliorating bioenergetic failure and hypoxia in the rostral ventrolateral medulla of the rat. *Shock* 23, 353-9
- Hildebrand LB, Krejci V, tenHoebel ME, Banic A and Sigurdsson GH (2003). Redistribution of microcirculatory blood flow within the intestinal wall during sepsis and general anesthesia. *Anesthesiology* 98, 658-69
- Krejci V, Hildebrand LB, Erni D and Sigurdsson GH (2003). Endothelin receptor antagonist bosentan improves microcirculatory blood flow in splanchnic organs in septic shock. *Crit Care Med* 31, 203-10
- Krejci V, Hildebrand L, Banic A, Erni D, Wheatley AM and Sigurdsson GH (2000). Continuous measurements of microcirculatory blood flow in gastrointestinal organs during acute haemorrhage. *Br J Anaesth* 84, 468-475
- Crane NJ, Pinto PA, Hale D, Gage FA, Tadaki D, Kirk AD, Levin IW and Elster EA (2008). Non-invasive monitoring of tissue oxygenation during laparoscopic donor nephrectomy. *BMC Surgery* 8:8
- O'Connor PM, Anderson WP, Kett MM and Evans RG (2008). Simultaneous measurement of pO2 and perfusion in the rabbit kidney *in vivo*. *Adv Exp Med Biol* 599, 93-99
- Evans RG, Leong C-L, Anderson WP and O'Connor PM (2007). Don't be so BOLD: potential limitations in the use of BOLD MRI for studies or renal oxygenation. *Kidney International* 71, 1327-1328
- Dyson A, Stidwill R, Taylor V and Singer M (2007). Tissue oxygen monitoring in rodent models of shock. *Am J Physiol Heart Circ Physiol* 293, H526-H533
- dos Santos EA, Li LP, Ji L and Prasad PV (2007). Early changes with diabetes in renal medullary hemodynamics as evaluated by fiberoptic probes and BOLD magnetic resonance imaging. *Invest Radiol*. 42, 157-62
- Whitehouse T, Stotz M, Taylor V, Stidwill R and Singer M (2006). Tissue oxygen and hemodynamics in renal medulla, cortex, and corticomedullary junction during hemorrhage-reperfusion. *Am J Physiol Renal Physiol* 291, F647-F653
- Badger WJ, Whitbeck C, Kogan B, Chichester P and Levin RM (2006). The immediate effect of castration on female bladder blood flow and tissue oxygenation. *Urology International* 76, 264-268
- Rhee TK, Larson AC, Prasad PV, Santos E, Sato KT, Salem R, Deng J, Paunesku T, Woloschak GE, Mulcahy MF, Li D and Omary RA (2005). Feasibility of blood oxygenation level-dependent MR imaging to monitor hepatic transcatheter arterial embolization in rabbits. *J Vasc Interv Radiol*. 16, 1523-28
- Jordan BF, Kimpalou JZ, Beghein N, Dessy C, Feron O and Gallez B (2004). Contribution of oxygenation to BOLD contrast in exercising muscle. *Magn Reson Med* 52, 391-396
- Voss M, Pinheiro J, Reynolds J, Greene R, Dewhirst M, Vaslef SN, Clary E and Eubanks WS (2003). Endoscopic components separation for abdominal compartment syndrome. *Am J Surg* 186, 158-63
- Ponticorvo A, Taydas E, Mazhar A, Scholz T, Kim HS, Rimler J, Evans GR, Cuccia DJ and Durkin AJ (2013). Quantitative assessment of partial vascular occlusions in a swine pedicle flap model using spatial frequency domain imaging. *Biomed Opt Express* 4(2), 298-306
- Koc E, Topaloglu S, Calik A, Sokmensuer C, Abdullazade S, Karabulut E and Piskin B (2013). Hepatic microcirculation in inflow and inflow-outflow occlusion of the liver. *Transplant Proc* 45(2), 474-9
- Covington S, Adams GL, and Dixon K (2012). Ultrasound-mediated oxygen delivery to lower extremity wounds. *Wounds* 24(8)
- Sorkin M, Wong VW, Glotzbach JP; Rustad KC; Major MR; Longaker MT and Gurtner GC (2010). 222C: A novel oxygen-binding delivery protein enhances local oxygenation of ischemic skin. *Plastic & Reconstructive Surgery* 125(6), 145
- Gordillo GM and Sen CK (2009). Evidence-based recommendations for the use of topical oxygen therapy in the treatment of lower extremity wounds. *The International Journal of Lower Extremity Wounds* 8, 105-111
- Schlaudraff KU, Pepper MS, Tkatchouk EN, Ehrenburg I, Alizadeh N, Montandon D and Pittet B (2008). Hypoxic preconditioning increases skin oxygenation and viability but does not alter VEGF expression or vascular density. *High Altitude Medicine and Biology* 9, 76-88
- Lesnik G, Remenscheider A, Herman P, Ross A and Ross D (2008). Capillary blood gas: A novel means of assessing free flap perfusion in an animal model. *Otolaryngol Head Neck Surg* 139, 250-255
- Russell JA, Conforti ML, Connor NP and Hartig GK (2007). Cutaneous tissue flap viability following partial venous obstruction. *Plast Reconstr Surg* 117, 2259-66
- Contaldo C, Harder Y, Plock J, Banic A, Jakob S and Erni D (2007). The influence of local and systemic preconditioning on oxygenation, metabolism and survival in critically ischaemic skin flaps in pigs. *Journal of Plastic, Reconstructive & Aesthetic Surgery* 60, 1182-1192
- Plock JA, Contaldo C, Sakai H, Tsuchida E, Leunig M, Banic A, Menger MD and Erni D (2005). Is hemoglobin in hemoglobin vesicles infused for isoolemic hemodilution necessary to improve oxygenation in critically ischemic hamster skin? *Am J Physiol Heart Circ Physiol* 289, H2624-31
- Contaldo C, Plock J, Djonov V, Leunig M, Banic A and Erni D (2005). The influence of trauma and ischemia on carbohydrate metabolites monitored in hamster flap tissue. *Anesth Analg* 100, 817-822
- Contaldo C, Plock J, Sakai H, Takeoka S, Tsuchida E, Leunig M, Banic A, Erni D (2005). New generation of hemoglobin-based oxygen carriers evaluated for oxygenation of critically ischemic hamster flap tissue. *Crit Care Med* 33, 806-12
- Fries RB, Wallace WA, Roy S, Kuppasamy P, Bergdall V, Gordillo GM, Melvin WS and Sen CK (2005). Dermal excisional wound healing in pigs following treatment with topically applied pure oxygen. *Mutation Research* 579, 172-181
- Harder Y, Contaldo C, Klenk J, Banic A, Jakob SM and Erni D (2005). Preconditioning with monophosphoryl lipid A improves survival of critically ischemic tissue. *Anesth Analg* 100, 1786-1792
- Rodrigues LM, Pinto PC, Magro MJ and Alves MFJ (2004). Exploring the influence of skin perfusion on transepidermal water loss. *Skin Research and Technology* 10, 257-262
- Rodrigues ML, Magro MJ, Pinto CP, Mouzinho M and Almeida A (2004). Non-invasive assessment of wound-healing pathophysiology by transcutaneous indicators. *Annals of Burns and Fire Disasters* 17(3)
- Peltonen LM and Pyörilä A (2004). Local action of exogenous nitric oxide (NO) on the skin blood flow of rock pigeons (*Columba livia*) is affected by acclimation and skin site. *Journal of Experimental Biology* 207, 2611-2619
- Hildebrand LB, Krejci V and Sigurdsson GH (2004). Effects of dopamine, dobutamine, and dexopamine on microcirculatory blood flow in the gastrointestinal tract during sepsis and anesthesia. *Anesthesiology* 100, 1188-1197
- Rosado C and Rodrigues LM (2003). In vivo study of the physiological impact of stratum corneum sampling methods. *International Journal of Cosmetic Science* 25, 37-44
- Schramm S, Wettstein R, Wessendorf R, Jakob SM, Banic A and Erni D (2002). Acute normovolemic hemodilution improves oxygenation in ischemic flap tissue. *Anesthesiology* 96, 478-484
- Erni D, Wessendorf R, Wettstein R, Banic A and Schilling MK (2001). Endothelin receptor blockade improves oxygenation in contralateral TRAM flap tissue in pigs. *British Journal of Plastic Surgery* 54(5), 412-418
- Raisis AL, Young LE, Taylor PM, Walsh KP and Lekeux P (2000). Doppler ultrasonography and single-fiber laser Doppler flowmetry for measurement of hind limb blood flow in anesthetized horses. *American Journal of Veterinary Research* 61(3), 286-290

Physiology / Ischemia

- Kazmi S, Khan MA, Shamma T, Altuhami A, Ahmed HA, Mohammed Assiri A, Broering DC (2022). Targeting Interleukin-10 Restores Graft Microvascular Supply and Airway Epithelium in Rejecting Allografts. *Int J Mol Sci*. 23(3):1269. <https://doi.org/10.3390/ijms23031269> PMID: 35163192; PMCID: PMC8836023.
- Gross DA, Cheng HS, Zhuang R, McCoy MG, Pérez-Cremades D, Salyers Z, Wara AKMK, Haemmig S, Ryan TE, Feinberg MW (2022). Deficiency of lncRNA SNHG12 impairs ischemic limb neovascularization by altering an endothelial cell cycle pathway. *JCI Insight*. 7(1):e150761. <https://doi.org/10.1172/jci.insight.150761> PMID: 34793334; PMCID: PMC8765056
- Koh HE, van Vliet S, Cao C, Patterson BW, Reeds DN, Laforest R, Gropler RJ, Ju YS, Mittendorfer B (2022). Effect of obstructive sleep apnea on glucose metabolism. *Eur J Endocrinol*. 186(4):457-467. <https://doi.org/10.1530/eje-21-1025> PMID: 35118996; PMCID: PMC9172969.
- Konieczny P, Xing Y, Sidhu I, Subudhi I, Mansfield KP, Hsieh B, Biancur DE, Larsen SB, Cammer M, Li D, Landén NX, Loomis C, Heguy A, Tikhonova AN, Tsiirigos A, Naik S (2022). Interleukin-17 governs hypoxic adaptation of injured epithelium. *Science* 377(6602):eabg9302. <https://doi.org/10.1126/science.abg9302> Epub 2022 Jul 8. PMID: 35709248.
- Zhu Y, Jung J, Anilkumar S, Ethiraj S, Madira S, Tran NA, Mullis DM, Casey KM, Walsh SK, Stark CJ, Venkatesh A, Boakye A, Wang H, Woo YJ (2022). A novel photosynthetic biologic topical gel for enhanced localized hyperoxygenation augments wound healing in peripheral artery disease. *Sci Rep*. 12(1):10028. <https://doi.org/10.1038/s41598-022-14085-1> PMID: 35705660; PMCID: PMC9200759.
- Hensel B, Großfeld R, Simmet C, Jung M, and Schulze M (2022). Time of ovulation in sows is not related to intravaginal dissolved oxygen levels or temperature. *Livestock Science* 260, 104926. <https://doi.org/10.1016/j.livsci.2022.104926>
- Khan MA, Ashoor GA, Shamma T, Alanazi F, Altuhami A, Kazmi S, Ahmed HA, Assiri AM, and Broering DC (2021). IL-10 Mediated Immunomodulation Limits Subepithelial Fibrosis and Repairs Airway Epithelium in Rejecting Airway Allografts. *Cells* 10(5), 1248. doi: 10.3390/cells10051248
- Oller L, Bennett KA, McKnight JC, Moss SEW, Milne R, Hall AJ, and Rocha J (2021). Partial pressure of oxygen in adipose tissue and its relationship with fatness in a natural animal model of extreme fat deposition, the grey seal. *Physiol Rep* 9(16), e14972. doi: 10.14814/phy2.14972
- Noe KM, Ngo JP, Martin A, Zhu MZL, Cochrane AD, Smith JA, Thrift AG, Singh H, and Evans RG (2021). Intra-operative and early post-operative prediction of cardiac surgery-associated acute kidney injury: Urinary oxygen tension compared with plasma and urinary biomarkers. *Clin Exp Pharmacol Physiol*. 2021 Oct 21. doi: 10.1111/1440-1681.13603. Online ahead of print.

- Hsu W-L, Wu TH, Hsu S-M, Chen C-L, Lee JJS and Huang Y-H (2011). An integrated multimodality image-guided robot system for small-animal imaging research. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* 652(1), 763–766
- Just N, Koh DM, D'Arcy J, Collins DJ and Leach MO (2011). Assessment of the effect of haematocrit-dependent arterial input functions on the accuracy of pharmacokinetic parameters in dynamic contrast-enhanced MRI. *NMR Biomed* 24(7), 902–15
- Bejot R, Kersemans V, Kelly C, Carroll L, King RC, Gouverneur V, Elizarov AM, Ball C, Zhang J, Miraghaie R, Kolb HC, Smart S and Hill S (2010). Pre-clinical evaluation of a 3-nitro-1,2,4-triazole analogue of [18F]FMISO as hypoxia-selective tracer for PET. *Nucl Med Biol.* 37(5), 565–75. [Erratum appears in *Nucl Med Biol.* 37(8), 1013]
- Wen B, Urano M, Humm JL, Seshan VE, Li GC and Ling CC (2008). Comparison of Helzel and OxyLite systems in the measurements of tumor partial oxygen pressure (pO₂). *Rad Res* 169, 67–75
- Leong C-L, O'Connor PM, Eppel GA, Anderson WP and Evans RG (2008). Measurement of renal tissue oxygen tension: systematic differences between fluorescence optode and microelectrode recordings in anaesthetized rabbits. *Nephron Physiol* 108, 11–17
- Elas M, Ahn KH, Parasca A, Barth ED, Lee D, Haney C and Halpern HJ (2006). Electron paramagnetic resonance oxygen images correlate spatially and quantitatively with OxyLite oxygen measurements. *Clin Cancer Res.* 12 (14 Pt 1), 4209–17
- Davda S and Bezabeh T (2006). Advances in methods for assessing tumor hypoxia in vivo: implications for treatment planning. *Cancer and Metastasis Reviews* 25, 469–80
- Bishai JM, Blood AB, Hunter CJ, Longo LD and Power GG (2003). Fetal lamb cerebral blood flow (CBF) and oxygen tensions during hypoxia: a comparison of laser Doppler and microsphere measurements of CBF. *J Physiol (Lond).* 546, 869–878
- Nwaigwe CI, Roche MA, Grinberg O and Dunn JF (2003). Brain tissue and sagittal sinus pO₂ measurements using the lifetimes of the oxygen-quenched luminescence of a ruthenium compound. *Adv Exp Med Biol* 530, 101–11
- Mason RP, Constantinescu A, Ran S and Thorpe PE (2002). Oxygenation in a human tumor xenograft: manipulation through respiratory challenge and antibody-directed infarction. *Adv Exp Med Biol* 530, 197–204
- Seddon BM, Honess DJ, Vojnovic B, Tozer GM and Workman P (2001). Measurement of tumor oxygenation: in vivo comparison of a luminescence fiber-optic sensor and a polarographic electrode in the p22 tumor. *Radiat Res* 155, 837–46
- Griffiths JR and Robinson SP (1999). The OxyLite: a fibre-optic oxygen sensor (Commentary). *The British Journal of Radiology* 72, 627–630
- Leahy MJ, de Mul FFM, Nilsson GE and Maniewski R (1999). Principles and practice of the laser-Doppler perfusion technique. *Technology and Health Care* 7, 143–162
- Dunn JF, Nwaigwe CI and Roche M (1999). Measurement of arterial, venous, and interstitial pO₂ during acute hypoxia in rat brain using a time-resolved luminescence-based oxygen sensor. *Adv Exp Med Biol* 471, 43–48
- Collingridge DR, Young WK, Vojnovic B, Wardman P, Lynch EM, Hill SA, Chaplin DJ (1997). Measurement of tumour oxygenation: a comparison between polarographic needle electrodes and a time-resolved luminescence-based optical sensor. *Radiat Res* 147, 329–334